



Multi-Level High Density Wiring Terminal Blocks

The multiple level DIN rail mounted terminal blocks address applications where space is a problem. By using double and triple level feed through terminal blocks, over 250 wires can be terminated in one foot of panel space.

In addition to the standard feed through terminal blocks that are shown on these pages, electronic component versions are also available. These multi-level terminal blocks are fitted with printed circuit boards and will increase functionality with the addition of circuit components in a wide variety of options.



Terminal width .24" (6mm) Wire strip length .39" (10mm)

DAS.4

SPECIFICATIONS		WIRE RANGE	CURRENT (A)	VOLTAGE (V)
Connection Data		24 - 10 AWG		
UL 1059		20 - 12 AWG	20	600
No. 22-2, No. 158		—		
IEC 947-7-1		0.2 - 4mm	32	630
ORDERING INFORMATION		TYPE	CATALOG No.	Pcs/Pkg
Terminal block,		DAS.4	DS100	120
standard	Beige	DAS.4(Ex)i	DS200	120
(Ex)i version	Blue			
ACCESSORIES		TYPE	CATALOG No.	Pcs/Pkg
End cover, width .06" (1.5mm)		DAS/PT	DS101	25
	Beige	DAS/PT(Ex)i	DS201	25
	Blue			
Circuit bridges, pre-assembled internal bridge		PM41/2	PM412	25
	2 position	PM51/3	PM513	25
	3 position	PM51/5	PM515	25
	5 position	PM51/10	PM510	10
	10 position			
Multiple circuit bridge bar, 250mm		PMP/58	PMP58	8
2 through 45 circuits based on length, used with bridge kit				
Circuit bridge kit, consists of screw and spacer, used with bridge bar		CPM/01	CPM01	25
Partition plate,		DFU/7/B	DU07B	25
	White	DFU/7/R	DU07R	25
	Red	DFU/7/V	DU07V	25
	Green			
Separating plate,		—		
	Red			
Test socket, for circuit testing with test plug (SDD)		PSD/A	PD001	50
Test plug, for circuit testing with test socket (PSD)		SDD/1	DD001	50
Marking system, blank marker		SNZ/60/00	SN007	60
	printed marker	SNZ/60/...	SN7..	60
	custom marker	CM	CM..	
	universal marker	CNU/8/030	NU008	5
End stop, width .31" (8mm)		BTU	BT005	25
	universal	BT/3	BT003	25
	35mm rail only			
Mounting rail, DIN (2 meter length)		PR/3/AC	PR003	1
	non-slotted symmetrical 35mm x 7.5mm	PR/3/AS	PR005	1
	slotted symmetrical 35mm x 7.5mm	PR/3/PP	PR007	1
	non-slotted symmetrical 35mm x 15mm	PR/3/PA	PR006	1
	slotted symmetrical 35mm x 15mm			

To locate additional product specifications and technical drawings go to www.asi-ez.com