



Multi-Level High Density Wiring Terminal Blocks

The multiple level DIN rail mounted terminal blocks address applications where space is a problem. By using double and triple level feed through terminal blocks, over 250 wires can be terminated in one foot of panel space.

In addition to the standard feed through terminal blocks that are shown on these pages, electronic component versions are also available. These multi-level terminal blocks are fitted with printed circuit boards and will increase functionality with the addition of circuit components in a wide variety of options.



Terminal width .24" (6mm) Wire strip length .39" (10mm)

DAS.4

SPECIFICATIONS		WIRE RANGE	CURRENT (A)	VOLTAGE (V)
Connection Data UL 1059 No. 22-2, No. 158 IEC 947-7-1		24 - 10 AWG 20 - 12 AWG — 0.2 - 4mm	20 32	600 630
ORDERING INFORMATION		TYPE	CATALOG No.	Pcs/PKG
Terminal block, standard Beige (Ex)i version Blue		DAS.4 DAS.4(Ex)i	DS100 DS200	120 120
ACCESSORIES		TYPE	CATALOG No.	Pcs/Pkg
End cover, width .06" (1.5mm) Beige Blue		DAS/PT DAS/PT(Ex)i	DS101 DS201	25 25
Circuit bridges, pre-assembled internal bridge 2 position 3 position 5 position 10 position		PM41/2 PM51/3 PM51/5 PM51/10	PM412 PM513 PM515 PM510	25 25 25 10
Multiple circuit bridge bar, 250mm 2 through 45 circuits based on length, used with bridge kit		PMP/58	PMP58	8
Circuit bridge kit, consists of screw and spacer, used with bridge bar		CPM/01	CPM01	25
Partition plate, White Red Green		DFU/7/B DFU/7/R DFU/7/V	DU07B DU07R DU07V	25 25 25
Separating plate, Red		—	—	—
Test socket, for circuit testing with test plug (SDD)		PSD/A	PD001	50
Test plug, for circuit testing with test socket (PSD)		SDD/1	DD001	50
Marking system, blank marker printed marker custom marker universal marker		SNZ/60/00 SNZ/60/... CM CNU/8/030	SN007 SN7.. CM.. NU008	60 60 5
End stop, width .31" (8mm) universal 35mm rail only		BTU BT/3	BT005 BT003	25 25
Mounting rail, DIN (2 meter length) non-slotted symmetrical 35mm x 7.5mm slotted symmetrical 35mm x 7.5mm non-slotted symmetrical 35mm x 15mm slotted symmetrical 35mm x 15mm		PR/3/AC PR/3/AS PR/3/PP PR/3/PA	PR003 PR005 PR007 PR006	1 1 1 1