

Short circuit plates



SCB/6/PO/2 Cat. No. **SB203**
Short circuit plate for two adjacent SCB.6 terminal blocks



SCB/6/PO/4 Cat. No. **SB204**
Short circuit plate for four adjacent SCB.6 terminal blocks



HSCB/6/PO/2 Cat. No. **HB203**
Short circuit plate for two adjacent HSCB.6 terminal blocks




HSCB/6/PO/4 Cat. No. **HB204**
Short circuit plate for four adjacent HSCB.6 terminal blocks




SCB/4/PO/2 Cat. No. **SB303**
Short circuit plate for two adjacent SCB.4 terminal blocks



SCB/4/PO/4 Cat. No. **SB304**
Short circuit plate for four adjacent SCB.4 terminal blocks



SCX/PO/2 Cat. No. **SC103**
Short circuit plate for two adjacent SCX.10 terminal blocks



SCX/PO/4 Cat. No. **SC104**
Short circuit plate for four adjacent SCX.10 terminal blocks

Internal/external cross-connection devices



FVS/VCI Cat. No. **FV107**
Screw and sleeve to perform the internal link between the front and back conducting bodies of FVS.4 terminal blocks.



FVS/VCE Cat. No. **FV108**
Screw and sleeve to perform the internal and external link between the front and back conducting bodies of FVS.4 terminal blocks.

Conducting elements



CO/5 Cat. No. **VL103**
Ø 5 x 20 mm - in brass for terminal block types:
SFO.4 - SFR.4 - SFR.6/M - FLD.10/F5 - HMF.4 - VLM.10



SFC/CO Cat. No. **FC102**
Ø 6,3 x 32 mm - in brass for terminal block types:
FPC.10 - SFC.10 - SFR.6 - with the option of inserting an SDD/2 test plug

Allow the simultaneous earth connection of current transformers already connected to SCB.4, SCB.6 or SCX.10 terminal blocks. They are made up of special plates and sleeves guaranteeing the correct operational sequence. The plates, in the open position, avoid the translation movement of slide-links, preventing the disconnection of current circuits.

Short circuit screws and sleeves



SCB/6/CPM Cat. No. **SB205**
Sleeve to be used with SCB/6/PO link



HSCB.6/CPM Cat. No. **HB205**
Sleeve to be used with HSCB/6/PO link




SCB/4/CPM Cat. No. **SB305**
Sleeve to be used with SCB/4/PO link




SCX/CPM Cat. No. **SC105**
Sleeve to be used with SCX/PO link (*)

(*) supplied assembled as in position A. In order to be inserted into the slot of the plate, it must be disassembled as in position B, then reassembled and screwed into the body of the terminal block.



DAS/VCI Cat. No. **DS107**

Screw and sleeve to perform the internal link between the front and back conducting bodies of DAS.4 terminal blocks.



DAS/VCE Cat. No. **DS108**

Screw and sleeve to perform the internal link between front and back conducting bodies or to externally link the conducting bodies of adjacent terminal blocks, of DAS.4 terminal blocks.

Screening lug



CBD/SH Cat. No. **CB009**
For the connection of the cable shielding - to be used on terminal blocks type CBD.2, 4, 6, 10.